
STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES AMENDED REPORT DIVISION OF OIL, GAS AND MINING															
APPLICATION FOR PERMIT TO DRILL									1. WELL NAME and NUMBER GMBU X-20-8-17						
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WELL							3. FIELD OR WILDCAT MONUMENT BUTTE								
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO								5. UNIT OF COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)							
6. NAME OF OPERATOR NEWFIELD PRODUCTION COMPANY									7. OPERATOR PHONE 435 646-4825						
8. ADDRESS OF OPERATOR									9. OPERATOR E-MAIL mcrozier@newfield.com						
Rt 3 Box 3630 , Myton, UT, 84052 10. MINERAL LEASE NUMBER 11. MINERAL OWNERSHIP					SHIP	12. SURFACE OWNERSHIP									
(FEDERAL	., INDIAN, OR S	TATE) UTU-76956			FEDERAL 📵 INDIAN 🔵 STATE 🔵 FEE 🥘				FEDERAL INDIAN STATE FEE						
13. NAME OF SURFACE OWNER (if box 12 = 'fee')									14. SURFACE OWNER PHONE (if box 12 = 'fee')						
15. ADDR	ESS OF SURFA	CE OWNER (if box	12 = 'fee')							16. SURFACE OWNER	E-MAIL	(if box 12	= 'fee')		
	N ALLOTTEE O	R TRIBE NAME			8. INTEND TO COMMINGLE PRODUCTION FROM IULTIPLE FORMATIONS					19. SLANT					
(if box 12 = 'INDIAN')					YES (Submit Commingling Application) NO				<u> </u>	VERTICAL DIRECTIONAL HOR			IORIZONT	RIZONTAL 🔵	
20. LOCA	TION OF WELL			FOOT	OTAGES Q1		TR-QTR	QTR SECTION		TOWNSHIP	R.A	NGE	МЕ	RIDIAN	
LOCATION AT SURFACE 613 FNL				13 FNL	1999 FWL NI		NENW	29		8.0 S	17.0 E			S	
Top of Uppermost Producing Zone 227 FNL				27 FNL	1577 FWL NE		NENW	29		8.0 S	17.0 E		S		
At Total Depth 104 FSL				1242 FWL SWSW		SWSW	20		8.0 S	17.0 E			S		
21. COUNTY DUCHESNE 22				22. DISTANCE TO NEAREST LEASE LINE (Feet) 104				23. NUMBER OF ACRES IN DRILLING UNIT							
					25. DISTANCE TO NEAREST WELL IN SAME POOL Applied For Drilling or Completed) 760					26. PROPOSED DEPTH MD: 6693 TVD: 6600					
27. ELEVATION - GROUND LEVEL 28. 5268				28. BOND NUMBER WYB000493					29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 437478						
Hole, Casing, and Cement Information															
String	Hole Size	Casing Size	Length	Weigl			Max Mu			Cement		Sacks	Yield	Weight	
Surf Prod	12.25 7.875	8.625 5.5	0 - 300	24.0 15.5			8.3		Class G Premium Lite Hig		ath	138 324	3.26	15.8	
1100	7.070	0.0	0 0000	10.0	0 00 210		0.0		1101	50/50 Poz	gui	363	1.24	14.3	
					A	TIACE	HMENTS								
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES															
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER				OR ENGINEER	INEER COMPLETE DRILLING PLAN										
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)				IF FEE SURFACE)	FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER										
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILI				ZONTALLY DRILLED))	TOPOGRAPHICAL MAP									
NAME Mandie Crozier TITLE				TITLE Regulatory	TITLE Regulatory Tech PH			РНО	IONE 435 646-4825						
SIGNATURE				DATE 04/04/2012 E			EMA	EMAIL mcrozier@newfield.com							
API NUMBER ASSIGNED 43013513590000				APPROVAL			B	saggill							
									Pe	rmit Manager					




NEWFIELD EXPLORATION COMPANY

WELL LOCATION, X-20-8-17, LOCATED AS SHOWN IN THE NE 1/4 NW 1/4 OF SECTION 29, T8S, R17E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Center of Pattern footages are 55' FNL & 1410' FWL.



TRI STATE LAND SURVEYING & CONSULTING


180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

	` '	
DATE SURVEYED: 09-27-11	SURVEYED BY: S.H.	VERSION:
DATE DRAWN: 01-10-12	DRAWN BY: F.T.M.	\/1
REVISED: 02-18-12 R.V.C.	SCALE: 1" = 1000'	V I

T8S, R17E, S.L.B.&M. S89°54'E - (G.L.O.) 1997 Aluminum Сар 1993 o Aluminum .. G.L. Сар 2007 Aluminum Сар (Meas., TARGET BOTTOM HOLE: X-20-8-17 94, 2645. $_{N}^{"}$.54,76 **Bottom** of Hole .00N 1910 Brass Cap 1242 S89°01'43"W - 5302.99' (Meas.) 1910 S89°56'W - 80.08 (G.L.O.) Center Brass Cap of Pattern Тор of Hole BASIS OF ELEV: Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" = SECTION CORNERS LOCATED (Tristate Aluminum Cap) Elev. 5281.57'


NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, X-20-8-17, LOCATED AS SHOWN IN THE SW 1/4 SW 1/4 OF SECTION 20, T8S, R17E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Bottom of Hole footages are 104' FSL & 1242' FWL.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

	,	
DATE SURVEYED: 09-27-11	SURVEYED BY: C.S.	VERSION:
DATE DRAWN: 01-10-12	DRAWN BY: F.T.M.	\ /1
REVISED: 02-18-12 R.V.C.	SCALE: 1" = 1000'	V I